



अब मोटर स्टार्टर नहीं मोटर प्रोटेक्टर





SINGLE PHASE 1 HP TO 15 HP DIRECT ON LINE 1 HP TO 100 HP STAR DELTA 10 HP TO 150 HP



Sh. Anand Parkash Singla (MD. Ras Aqua Tech Pvt. Ltd.)

ABOUT

Established in the year "1975", we, "RAS AQUA TECH"," are known as the foremost and reputed Manufacturer, Traders and suppliers of high quality collection of Motor Control Panels. These products are manufactured using the optimum quality raw materials and advance technology under the supervision of skilled professionals by following international quality standards. In addition, we offer these products in various specifications in order to meet the various requirements of clients. Our products are highly cherished among clients owing to their unique features like excellent performance, reliability, perfect finish, low maintenance, longer service life, high efficiency and elevated durability.

RAS AquaTech has been dedicated to providing superior Motor Control Panels products to every Agribusiness who utilises over the past many years. Our promise to every customer is providing agronomic products with commitment to premium product performance, energy preserving and customer service.

WHY RAS AQUA TECH

At RAS Aqua Tech, we bring over four decades of expertise in manufacturing premium-quality Motor Control Panels tailored to the evolving needs of agribusinesses and industries. Our commitment to delivering excellence is reflected in every aspect of our operations, from selecting the finest raw materials to adopting advanced technologies. We pride ourselves on our customer-first approach, ensuring that every product meets stringent international quality standards.

Our panels are celebrated for their high performance, reliability, energy efficiency, and durability, offering long-term value with minimal maintenance. With a focus on innovation and continuous improvement, we aim to stay ahead of market trends and provide solutions that align with global standards.

What sets us apart is our dedication to fostering partnerships with our clients. We don't just provide products; we offer tailored solutions, technical expertise, and unparalleled support throughout the product lifecycle. Choose RAS Aqua Tech for a trusted partner who prioritizes your success, delivering reliability, performance, and customer satisfaction every step of the way.

MISSION

We deliver our mission by enabling our clients to accomplish their business goals. We support their entire product development lifecycle from prototyping to volume production. We tailor our manufacturing process for clients' needs applying our strong expertise and uncompromising commitment to quality, superior customer service, and reliability. We are a true extension of our clients' team that results in a mutually beneficial partnership for growth.



- O7 Single Phase (SP & Smart SP) Series
- 09 Direct Online (DOL) Series
- 11 Star Delta (Shakti ++) Series
- 13 Star Delta (Prime) Series
- Spare Parts
- 21-22 Regular Voltage (RV) Price List
- ²³⁻²⁴ Wide Voltage (WV) Price List
- 25 Terms & Conditions
- 26 Notes
- 27 Coming Soon

RAS AQUA TECH PVT LTD

CERTIFICATES











एक बार

सोचिएगा ज़रूर!

क्या वाकई आपका वर्तमान मोटर स्टार्टर आपकी मोटर को इलेक्ट्रिकल सुरक्षा प्रदान करता है ?

Ras Tech का वादा आपकी मोटर की सुरक्षा ज़्यादा






Promax is now PowerMax

More Power
More Secure
More Intelligent




ULTRA

Powerful & Intelligent



ऑक्सीजन मुक्त पावर कोन्टेक्टर

- लम्बे समय तक चलने वाला ऑक्सीजन मुक्त पावर कोन्टेक्टर
- आवाज एवं कंपन रहित संचालन
- कार्बन व नमी मुक्त संपर्क के कारण लम्बा जीवन
- न्यूनतम तापमान वृद्धि परिणाम स्वरूप अधिकतम आयु
- अलग-अलग फेस के लिए अलग-अलग कोन्टेक्टर
- रिपेयर व रख रखाव का कम खर्च
- विशाल वोल्टेज कार्यशील रेंज
- उच्च तापमान में भी दमदार कार्य



SMART SAFE STRONG







SMART SINGLE PHASE (SSP) Series and SINGLE PHASE (SP) Series

FEATURES

- First in class with auto / manual start function.
- Digital amp meter and voltage meter for better monitoring.
- Digital over load settings for more accuracy.
- Accurate digital protections to enhance Motor life span.
- · Automatic capacitor cut off.
- Advance microcontroller based technology.
- Digital Codes for fault display.
- Dry Run Protection.
- Automatic monitoring for fix water level (start & Stop)*. (Optional)
- Over voltage and under voltage protection.
- Compatible to mobile operator devices.* (Optional)

			A-2750 AVA	CAPACITOR		MRP(₹)	
Sr.No.	MODEL	HP	RELAY	Start (MFD)	Run (MFD)	(Per Unit)	
1	RTP 1 SMART (SSP)	1	10	100-120	45	5,850/-	
2	RTP 1.5 SMART (SSP)	1.5	16	120-150	72	6,050/-	
3	RTP 2 SMART (SSP)	2	20	120-150	90	6,450/-	
4	RTP 3 SMART (SSP)	3	30	200-250	105	7,850/-	

CuNo	MODEL	RELAY		CAP	ACITOR	MRP (₹)	MRP(₹)
Sr.No.	MODEL	HP	RANGE	Start (MFD)	Run (MFD)	(Per Unit)	(3 Coils)
1	RTP 3 SP	3	12-32	200-250	(45+60)	10,002/-	10,355/-
2	RTP 5 SP	5	20-46	200-250	(60X3)	11,368/-	11,900/-
3	RTP 7.5 SP	7.5	30-60	NOT INCLUDED	NOT INCLUDED	12,540/-	13,530/-
4	RTP 10 SP	10	40-90	NOT INCLUDED	NOT INCLUDED	15,012/-	16,160/-
5	RTP 15 SP	15	50-130	NOT INCLUDED	NOT INCLUDED	20,528/-	20,528/-



चिप आधारित बेजोड मोटर सुरक्षा तकनीक

- इलैक्ट्रिकल व मैकेनिकल फाल्ट से सुरक्षा की विशाल श्रृंखला (जैसे कि मोटर ओवर लोड, फेस का फेल होना, फेस क्रम बिगड़ना, असंतुलित फेस, असंतुलित वोल्टेज, मोटर की तरफ फेस फेल होना, मोटर जाम होना, केबल/तार में कट लगना या जलना, मोटर/पम्प शाफ्ट का टूटना, कम-ज्यादा वोल्टेज होना व शॉर्ट सर्किट आदि)
- ओवर लोड सेटिंग्स की विशाल अम्पियर रेंज
- अत्याधुनिक माइक्रो कन्ट्रोलर तकनीक
- विशाल वोल्टेज कार्यशील रेंज 220V से 500V
- स्टार और डेल्टा कनेक्शन के बीच आरंभिक विलंब और देरी दोनों के लिए समय सेटिंग्स









DIRECT ONLINE(DOL) Series

FEATURES

- Digital Amp meter and Voltage meter for better monitoring.
- Digital over load settings for more accuracy.
- Advance microcontroller based technology.
- Digital Display of all the 3 phases amperes.
- Protection against unbalanced amperes.
- Protection against Phase reversal and Phase Failure.
- Digital Codes for fault display.
- Dry Run Protection.
- Automatic monitoring for fix water level (start & Stop).* (Optional)
- Over voltage and under voltage protection.
- Compatible to mobile operator devices.* (Optional)

Sr.No.	MODEL	HP	RELAY RANGE	DIMENSIONS (WxH) (Inch)	MRP (₹) (Per Unit)
1	RTP 7.5 DOL	7.5	6-22	10x12	9,590/-
2	RTP 10 DOL	10	8-30	10x12	9,870/-
3	RTP 12.5 DOL	12.5	10-36	10x12	9,975/-
4	RTP 15 DOL	15	14-40	10x12	10,185/-
5	RTP 17.5 DOL	17.5	14-40	10x12	10,185/-
6	RTP 20 DOL	20	16-45	12x14	12,214/-
7	RTP 25 DOL	25	20-50	12x14	13,162/-
8	RTP 30 DOL	30	24-60	12x14	13,162/-
9	RTP 40 DOL	40	32-90	12x14	17,937/-
10	RTP 50 DOL	50	40-112	17x17	25,263/-
11	RTP 60 DOL	60	48-120	18.5x20	32,802/-
12	RTP 75 DOL	75	60-150	18.5x20	40,339/-
13	RTP 85/100 DOL	85/100	68-170	20.5x20	45,988/-



3 डिस्पले मीटर

- तीनों फेस के अम्पियर डिस्पले
- फाल्ट होने पर डिस्पले पर कोड विवरण
- फाल्ट होने पर बीप की आवाज
- डिजिटल ओवर लोड सेटिंग्स

2 डिस्पले वोल्टेज मीटर

- अलग- अलग फेस के वोल्टेज का डिजिटल प्रदर्शन
- ग्रिड पावॅर होने पर LED INDICATION
- तीनों फेज में वोल्टेज होने का स्पष्ट प्रदर्शन
- किसी भी फेस में वोल्टेज कम या ज्यादा होने पर यथास्थिति प्रदर्शन







STAR DELTA (SHAKTI++) Series

FEATURES

- Digital Display of all the 3 phases amps.
- Digital Voltage Display.
- Digital over load settings for more accuracy.
- Accurate digital protections for overload, underload, phase failure, phase reversal, unbalanced Phase, over voltage and under voltage for better protections.
- Advance microcontroller based technology.
- Compatible for mobile operator devices.* (Optional)
- Bypass Function.
- Digital Codes for fault display.
- Dry Run Protection.
- Beep function for fault errors.

Sr.No.	MODEL	HP	RELAY RANGE	DIMENSIONS (WxH) (Inch)	MRP (₹) (Per Unit)
1	RTP 15-20 SHAKTI++	15-20	10-46	15x17	18,795/-
2	RTP 20-25 SHAKTI ++	20-25	12-56	17x17	20,223/-
3	RTP 25-35 SHAKTI ++	25-35	16-66	17x17	24,045/-
4	RTP 40-50 SHAKTI ++	40-50	20-80	17x17	25,069/-
5	RTP 55-60 SHAKTI ++	55-60	30-100	18.5x20	29,033/-
6	RTP 60-70 SHAKTI ++	60-70	40-120	18.5x20	33,002/-
7	RTP 80-90 SHAKTI ++	80-90	60-150	20.5x20	37,874/-





कॉपर पावर स्ट्रिप कनैक्शन

- हाई कन्डकटिव ग्रेड कॉपर स्ट्रिप्स
- अत्याधिक विधुत प्रवाह क्षमता
- उच्च तापमान में भी दमदार कार्य
- वायरिंग शोर्ट सर्किट से पूर्णतः सुरक्षित
- लंबी कार्य अवधि









STAR DELTA (PRIME) Series

FEATURES

- Powerful ETP grade copper strips connections.
- Digital Display of all the 3 phases amps.
- Digital Voltage Display of all phases.
- Digital over load settings for more accuracy.
- Accurate digital protections for overload, underload, phase failure, phase reversal, unbalanced Phase, over voltage and under voltage for better protections.
- Advance microcontroller based technology.
- Compatible for mobile operator devices.* (Optional)
- Bypass Function.
- Digital codes for fault display.
- Dry run protection.
- · Beep function for fault errors.

Sr.No.	MODEL	HP	RELAY RANGE	DIMENSIONS (WxH) (Inch)	MRP (₹) (Per Unit)
1	RTP 50 PRIME	50	30-100	18.5x20	32,435/-
2	RTP 60 PRIME	60	40-112	18.5x20	34,675/-
3	RTP 70 PRIME	70	48-120	20.5x20	37,740/-
4	RTP 80 PRIME	80	60-150	22.5x24	44,305/-
5	RTP 100 PRIME	100	68-170	22.5x24	48,765/-
6	RTP 120 PRIME	120	70-180	22.5x24	52,896/-
7	RTP 150 PRIME	150	100-220	22.5x24	57,010/-





सिंगल फेस प्रिवेंटर एवं टाईमर

- माइक्रोकंट्रोलर आधारित तकनीक
- सिंगल फेस प्रिवेंटर ऑटो और मैनुअल मोड दोनों पर काम करता है (हालाँकि, पारंपरिक पैनलों में यह केवल ऑटो मोड में ही काम करता है)
- गलत विद्युत प्रवाह अनुक्रम को सही करने के लिए स्विच
- स्वस्थ और दोषपूर्ण बिजली आपूर्ति के लिए अलग-अलग एलईडी संकेतक
- कॉम्बिकॉन कनेक्टर जो की कनेक्शन के लिए बहुत ही सरल व आसान
- स्टार और डेल्टा कनेक्शन के बीच आरंभिक विलंब और देरी दोनों के लिए समय सेटिंग्स









VOLTAGE METER CODE - TPVM 03 MRP - 1,060/-





































































TRANSFORMER X-1 SP (220) MRP - 630/-



MRP - 1250/-











CORE VALUES







INNOVATIVE



RELIABILITY



QUALITY CONTROL



TRUST



ADVANCED TECHNOLOGY

FIRST IN CLASS













Phase Wise Voltage Display



REGULAR VOLTAGE (RV) PRICE LIST

SINGLE PHASE SMART SERIES (FOR SINGLE PHASE SUBMERSIBLE MOTORS)

Cable	MODEL	110	RELAY	CAPACITOR		MRP(₹)
Sr.No.	MODEL	HP	RANGE	Start (MFD)	Run (MFD)	(Per Unit)
1	RTP 1 SMART (SSP)	1	10	100-120	45	5,850/-
2	RTP 1.5 SMART (SSP)	1.5	16	120-150	72	6,050/-
3	RTP 2 SMART (SSP)	2	20	120-150	90	6,450/-
4	RTP 3 SMART (SSP)	3	30	200-250	105	7,850/-

SINGLE PHASE SERIES (FOR SINGLE PHASE SUBMERSIBLE MOTORS)

CHNIC	MODEL	LID	RELAY	CAP	ACITOR	MRP(₹)	MRP(₹)
Sr.No.	MODEL	HP	RANGE	Start (MFD)	Run (MFD)	(Per Unit)	(3 Coils)
1	RTP 3 SP	3	12-32	200-250	(45+60)	10,002/-	10,355/-
2	RTP 5 SP	5	20-46	200-250	(60X3)	11,368/-	11,900/-
3	RTP 7.5 SP	7.5	30-60	NOT INCLUDED	NOT INCLUDED	12,540/-	13,530/-
4	RTP 10 SP	10	40-90	NOT INCLUDED	NOT INCLUDED	15,012/-	16,160/-
5	RTP 15 SP	15	50-130	NOT INCLUDED	NOT INCLUDED	20,528/-	20,528/-

DOUBLE POLE SERIES (FOR 2 PHASE MOTORS)

Cable	C*No MODEL		RELAY	CAPACITOR		MRP(₹)
Sr.No.	MODEL	HP	HP RANGE	Start (MFD)	Run (MFD)	(Per Unit)
1	RTP 3 DP	3	12-28	NOT INCLUDED	NOT INCLUDED	9,332/-
2	RTP 5 DP	5	20-46	NOT INCLUDED	NOT INCLUDED	10,335/-

DIRECT ON LINE SERIES (FOR 3 WIRES MOTORS)

Sr.No.	MODEL	HP	RELAY RANGE	DIMENSIONS (WxH) (Inch)	MRP (₹) (Per Unit)
1	RTP 7.5 DOL	7.5	6-22	10x12	9,590/-
2	RTP 10 DOL	10	8-30	10x12	9,870/-
3	RTP 12.5 DOL	12.5	10-36	10x12	9,975/-
4	RTP 15 DOL	15	14-40	10x12	10,185/-
5	RTP 17.5 DOL	17.5	14-40	10x12	10,185/-
6	RTP 20 DOL	20	16-45	12x14	12,214/-
7	RTP 25 DOL	25	20-50	12x14	13,162/-
8	RTP 30 DOL	30	24-60	12x14	13,162/-
9	RTP 40 DOL	40	32-90	12x14	17,937/-
10	RTP 50 DOL	50	40-112	17x17	25,263/-
11	RTP 60 DOL	60	48-120	18.5x20	32,802/-
12	RTP 75 DOL	75	60-150	18.5x20	40,339/-
13	RTP 85/100 DOL	85/100	68-170	20.5x20	45,988/-



REGULAR VOLTAGE (RV) PRICE LIST

STAR DELTA SHAKTI++ SERIES (FOR 6 WIRES MOTORS)

Sr.No.	MODEL	HP	RELAY RANGE	DIMENSIONS (WxH) (Inch)	MRP (₹) (Per Unit)
1	RTP 15-20 SHAKTI++	15-20	10-46	15x17	18,795/-
2	RTP 20-25 SHAKTI ++	20-25	12-56	17x17	20,223/-
3	RTP 25-35 SHAKTI ++	25-35	16-66	17x17	24,045/-
4	RTP 40-50 SHAKTI ++	40-50	20-80	17x17	25,069/-
5	RTP 55-60 SHAKTI ++	55-60	30-100	18.5x20	29,033/-
6	RTP 60-70 SHAKTI ++	60-70	40-120	18.5x20	33,002/-
7	RTP 80-90 SHAKTI ++	80-90	60-150	20.5x20	37,874/-

STAR DELTA PRIME SERIES (FOR 6 WIRES MOTORS)

Sr.No.	MODEL	HP	RELAY RANGE	DIMENSIONS (WxH) (Inch)	MRP (₹) (Per Unit)
1	RTP 50 PRIME	50	30-100	18.5x20	32,435/-
2	RTP 60 PRIME	60	40-112	18.5x20	34,675/-
3	RTP 70 PRIME	70	48-120	20.5x20	37,740/-
4	RTP 80 PRIME	80	60-150	22.5x24	44,305/-
5	RTP 100 PRIME	100	68-170	22.5x24	48,765/-
6	RTP 120 PRIME	120	70-180	22.5x24	52,896/-
7	RTP 150 PRIME	150	100-220	22.5x24	57,010/-





WIDE VOLTAGE (WV) PRICE LIST

SINGLE PHASE SMART SERIES (FOR SINGLE PHASE SUBMERSIBLE MOTORS)

C"No	MODEL	LLD RELAY		CAPA	MRP(₹)	
Sr.No.	MODEL	HP	RANGE	Start (MFD)	Run (MFD)	(Per Unit)
1	RTP 1 SMART (SSP)	1	10	100-120	45	5,850/-
2	RTP 1.5 SMART (SSP)	1.5	16	120-150	72	6,050/-
3	RTP 2 SMART (SSP)	2	20	120-150	90	6,450/-
4	RTP 3 SMART (SSP)	3	30	200-250	105	7,850/-

SINGLE PHASE SERIES (FOR SINGLE PHASE SUBMERSIBLE MOTORS)

Calla	MODEL		RELAY	CAPACITOR		MRP(₹)	MRP(₹)
Sr.No.	MODEL	HP	RANGE	Start (MFD)	Run (MFD)	(Per Unit)	(3 Coils)
1	RTP 3 SP	3	12-32	200-250	(45+60)	10,002/-	10,355/-
2	RTP 5 SP	5	20-46	200-250	(60X3)	11,368/-	11,900/-
3	RTP 7.5 SP	7.5	30-60	NOT INCLUDED	NOT INCLUDED	12,540/-	13,530/-
4	RTP 10 SP	10	40-90	NOT INCLUDED	NOT INCLUDED	15,012/-	16,160/-
5	RTP 15 SP	15	50-130	NOT INCLUDED	NOT INCLUDED	20,528/-	20,528/-

DOUBLE POLE SERIES (FOR 2 PHASE MOTORS)

CANAL MODEL HIS			RELAY	CAPACITOR		MRP(₹)
Sr.No.	MODEL	HP	RANGE	Start (MFD)	Run (MFD)	(Per Unit)
1	RTP 3 DP	3	12-28	NOT INCLUDED	NOT INCLUDED	9,332/-
2	RTP 5 DP	5	20-46	NOT INCLUDED	NOT INCLUDED	10,335/-

DIRECT ON LINE SERIES (FOR 3 WIRES MOTORS)

Sr.No.	MODEL	HP	RELAY RANGE	DIMENSIONS (WxH) (Inch)	MRP (₹) (Per Unit)
1	RTP 7.5 DOL	7.5	6-22	10x12	10,500/-
2	RTP 10 DOL	10	8-30	10x12	10,785/-
3	RTP 12.5 DOL	12.5	10-36	10x12	10,785/-
4	RTP 15 DOL	15	14-40	10x12	10,980/-
5	RTP 17.5 DOL	17.5	14-40	10x12	10,980/-
6	RTP 20 DOL	20	16-45	12x14	12,214/-
7	RTP 25 DOL	25	20-50	12x14	13,162/-
8	RTP 30 DOL	30	24-60	12x14	13,162/-
9	RTP 40 DOL	40	32-90	12x14	17,937/-
10	RTP 50 DOL	50	40-112	17x17	25,263/-
11	RTP 60 DOL	60	48-120	18.5x20	32,802/-
12	RTP 75 DOL	75	60-150	18.5x20	40,339/-
13	RTP 85/100 DOL	85/100	68-170	20.5x20	45,988/-




WIDE VOLTAGE (WV) PRICE LIST

STAR DELTA SHAKTI++ SERIES (FOR 6 WIRES MOTORS)

Sr.No.	MODEL	HP	RELAY RANGE	DIMENSIONS (WxH) (Inch)	MRP (₹) (Per Unit)
1	RTP 15-20 SHAKTI++	15-20	10-46	15x17	22,785/-
2	RTP 20-25 SHAKTI ++	20-25	12-56	17x17	24,310/-
3	RTP 25-35 SHAKTI ++	25-35	16-66	17x17	28,072/-
4	RTP 40-50 SHAKTI ++	40-50	20-80	17x17	29,038/-
5	RTP 55-60 SHAKTI ++	55-60	30-100	18.5x20	33,065/-
6	RTP 60-70 SHAKTI ++	60-70	40-120	18.5x20	37,023/-
7	RTP 80-90 SHAKTI ++	80-90	60-150	20.5x20	41,900/-

STAR DELTA PRIME SERIES (FOR 6 WIRES MOTORS)

Sr.No.	MODEL	HP	RELAY RANGE	DIMENSIONS (WxH) (Inch)	MRP (₹) (Per Unit)
1	RTP 50 PRIME	50	30-100	18.5x20	37,456/-
2	RTP 60 PRIME	60	40-112	18.5x20	39,630/-
3	RTP 70 PRIME	70	48-120	20.5x20	41,690/-
4	RTP 80 PRIME	80	60-150	22.5x24	48,332/-
5	RTP 100 PRIME	100	68-170	22.5x24	52,715/-
6	RTP 120 PRIME	120	70-180	22.5x24	56,846/-
7	RTP 150 PRIME	150	100-220	22.5x24	





General Terms and Condition

- 1. The standard discount on this price list will be _____% on Panels and _____% on spare parts on advance payments basis only.
- 2. This price list Cancels / supersedes all related previous price lists.
- 3. prices are on maximum retail price basis inclusive of all duties & GST.
- 4. All the prices are ex-SIRSA (125055) basis.
- 5. Breakage, shortage or loss in transit will be on buyers account.
- 6. The prices, terms-Conditons, design etc. subject to change without any prior notice.
- 7. Period notice and those ruling at the time of dispatch will be applicable.
- 8. Any revision in existing duties or any new levies will be born by buyer.
- 9. Subject to SIRSA (125055) Jurisdiction only.

Warranty

- 1. All the products and parts (those who empesty or impression Carry lable of Ras tech only) Carry a warranty angaist, Manufacturing defects only for a limited Period i.e. 12 months, 6 months or nil (depending upon product or part/s) from the date of Purchase.
- 2. Should the product prove to be defective due to faulty workmanship or otherwise, we will remedy the defect or replace the faulty parts or the whole product at our discretion, as soon as possible, free of cost.
- 3. The warranty is however subject to the provision of proper usage, efficient maintenance and does not cover defects arising out of fire, accident, inefficient maintenance, faulty operation and willful or accidental damage. It also does not cover damage to power electronic components like thyristors & IGBTs, which fail predominantly due to over-temperature & over-voltage The user needs to take adequate precautions to eliminate these conditions. The manufacturer shall not be liable for any consequential loss, injury or damages attributable to defect or failure of its products.
- 4. Warranty as per warranty card only and that Should be proper filled & Stamped and must be present to service person at the time of service.







NOTES	





PROFESSIONAL DIRECT ON LINE SERIES

Specially Designed For

- Industries
- Agriculture
- Professional Workshops
- Government Sector



COMPACT SINGLE PHASE SERIES

Specially Designed For

- Domestic
- Commercial
- Industrial





अब मोटर स्टार्टर नहीं मोटर प्रोटेक्टर

RAS AQUA TECH PVT. LTD.

Near GTM Colony, Hisar Road Sirsa - 125055 (Haryana)

Toll free: 1800 8899 520 Email - rasaquatech@gmail.com

Web - www.rasaquatech.com

Our Website





E- Price List

